





Operate With Integrity And Serve The World

SHANGHAI HXH STEELS

SHANGHAI HXH STEEL MANUFACTURING CO.,LTD



Web: hxhsteels.com

• Address: No.25, Lane 1688, North Guoquan Road, Yangpu District, Shangha



CONCEPT

Web: www.hxhsteels.com/

ABOUT US

P01-P04

COMPANY PROFILE CERTIFICATE

PRODUCT CENTER

P05-P26

CARBON STEEL

Carbon steel pipe

Carbon steel plate

Carbon steel coil

Carbon steel rod

GALVANIZED STEEL

Galvanized coil

Galvanized sheet

Galvanized pipe

PRE-PAINTED STEEL

PPGI/PPGL

Corrugated sheet

PROFILE STEEL

Angle steel

Channel steel

H-beam/l-beam

Flat bar

ALUMINIUM

Aluminium plate

Aluminum pipe

Aluminum rod

Aluminum coil

STAINLESS STEEL

Stainless steel rod

Stainless steel coil

Stainless steel plate

Stainless steel pipe

EXHIBITION

P27-P28

DOMESTIC AND FOREIGN EXHIBITIONS



30 THAN 30 YEAR

MORE THAN 30 YEAR'S EXPERIENCE

SGS

THIRD PARTY INSPECTION BEFORE DELIVERY

SERVICE

7*24 QUICK RESPONSE TO ANY NEEDS **QUALITY**

MULTIPLE INTENATIONAL CERTIFICATIONS

TEAM

MORE THAN 15 YEARS EXPERIENCE IN FOREIGN TRADE ON AVERAGE

FACTORY

FACTORY DIRECT SALES SOURCE DELIVERY Shanghai Hongxianghui Steel Manufacturing Co., Ltd. (HXH Steels), founded on March 21, 2021 is affiliated to Zhongye Group, the president unit of Liaocheng Steel Pipe Operators Association with the RMB 146 million paid-in capital. Zhongye Group is a modern enterprise integrating precision manufacturing, spot warehousing, international logistics, and deep processing. The indoor warehouse is more than 30,000 square meters, and the standing inventory is more than 70,000 tons. The company has more than 500 employees,mainly engaged in seamless pipes and seamless square pipes made of 20#, 45#, Q355B, 27SiMn, 40Cr, 42CrMo and other materials. It is listed as a high-quality supplier by most customers. We are also a long-term agent for seamless pipes produced by high-quality steel pipe manufacturers such as Baosteel, Hubei Xinye Steel, Tianhuai Steel Pipe, and Tianjin Seamless.Zhongye Group covers an area of more than 300 acres and has two seamles pipe production lines. It manufacture seamless pipes of various materials and specifications with an annual production capacity of more than 600,000 tons.


We sincerely welcome friends from all walks of life to visit and discuss cooperation.

CERTIFICATE










(LCYLI)

兰枪钢铁

山东鲁润商贸有

兰格钢铁网2023年度







Zgw.中间网 中國互联网百强企业

授予: 山东鲁润商贸有限公司

全国百强

(LOYID)

兰枪钢铁

山东鲁润商贸有

兰格钢铁网2023年度:











(PARTIAL CERTIFICATE, FOR SHOW ONLY)







全国优质无缝管

(2022-2023年度

山东鲁润商贸有阳







山东鲁润商贸有限公司

AAA级信用企业









CARBON STEEL PIPE













| | | << << | CARBON STEEL PIPE | >>>> | |
|----------------|----------------|-------------------------------|---|---------------------------------|--|
| | OD | 16-720mm | | | |
| COMMON SIZE | Wall Thickness | | 2-100mm, Up to 200mm | | |
| | Length | | 6m-12m or as request | | |
| CAT | EGORY | Seamless pipe、Welded pipe | | | |
| STA | STANDARD | | API, ASTM, ASME, DIN.GB, JIS, ASNI.BS | | |
| US | USAGE | | Transport routes for gas, oil, chemical materials, water, steam and other gas or liquid | | |
| Е | ENDS | | Plained or Beveled or other requirements | | |
| SUI | SURFACE | | Bared, Black Painted, Galvanized, Oiled or as your requirements | | |
| PACKAGE | | 1.In bundle with steel strips | | | |
| | | 2.As your requirement | | | |
| PACKING | | | Bundle, or with all kinds of co | ors PVC or as your requirements | |

CARBON STEEL PLATE













| | | {{ {{{}}}} | CARBON STEEL PLATE | >>>> | |
|----------------|-----------|--|---|---------------|--|
| | Technique | | Hot rolled / Cold rolled | | |
| COMMON SIZE | Width(mm) | | 1000mm-4500mm, as Your Request | | |
| | Length | | 2000mm-18000mm,as Your Request | | |
| STA | NDARD | | AISI,ASTM,DIN,JIS,GB,JI | S,SUS,EN,ETC. | |
| MAT | TERIAL | Q195, Q215,Q235,Q345,ST37, A36,45# ,16Mn, SPHC,SGCC,CGCC | | | |
| Е | ENDS | | Slit edge/Mill edge | | |
| SUI | SURFACE | | Bared, Black Painted, Galvanized, Oiled or as your requirements | | |
| | | | Hot Rolled Thickness:0 | .8mm-100mm | |
| THICKNESS | | Cold Rolled Thickness:0.1mm-3mm | | | |
| | | | As Your Request | | |
| PACKING | | | Standard seaworth | y packing | |

CARBON STEEL COIL













| | | *** | CARBON STEEL COIL | >>>> | |
|--------------------|-------------|--|--|--|--|
| | Technique | | Hot rolled / Cold rolled | | |
| COMMON SIZE | Width(mm) | | Normal width is 1219/1250/1500 mm or customized | | |
| | Thickness | | 0.1-12mm.HRC:1-12mm,CRC,0.1-3mm | | |
| STA | STANDARD | | GB/ASTM/JIS /AISI /EN | | |
| STEE | STEEL GRADE | | Q235/Q235B/Q345/Q345B/Q195/St37/St42/St37-2/St35.4/St52.4/st35 etc/Q195/Q215 | | |
| APPLICATION | | Ship Plat | te, Boiler Plate, Container Plate, ma | aking pipes、cold rolled steel products | |
| PROCESSING SERVICE | | RVICE Bending, Welding, Decoiling, Cutting, Punching | | g, Cutting, Punching | |
| МОО | | 10 Tons | | ns | |
| PACKAGE | | | Standard Sea Wor | thy Package | |

CARBON STEEL ROD













| | *** | CARBON STEEL ROD | >>>> |
|-------------------|----------------------------|-------------------------------|-----------------------|
| TECHNIQUE | Hot rolled / Cold rolled | | |
| PRODUCT NAME | | Carbon Steel Rod Mould S | Steel Round Rod |
| LENGTH | | 12m or custom | ization |
| STEEL GRADE | | Q235,Q345,1015,1045,20CR,40CR | R,42CRMO,12CRMOV,ETC. |
| MATERIAL | Carbon steel/Alloy steel | | |
| STANDARD | ASTM | | |
| TOLERANCE | ±1% | | |
| APPLICATION | Structural Steel Rod | | el Rod |
| DIAMETER | 6.5-500mm or customization | | tomization |
| SURFACE TREATMENT | Heat treatment | | ent |
| MOQ | | 5 Tons | |

GALVANIZED COIL













| | { { GALVANIZED COIL } } | | |
|-------------------|---|--|--|
| PRODUCT NAME | Galvanized Coil | | |
| WIDTH(MM) | 600-1500mm or customized | | |
| THICKNESS | 0.1-6.0mm | | |
| GRADE | DX51D/DX52D/S235GD/Q235/Q195 | | |
| SPANGLE TYPE | Regular Spangle/Small Spangle/Big Spangle | | |
| STANDARD | ASTM,GB,AISI,JIS,DIN,EN,BS | | |
| ZINC COATING | 20-275g/m² | | |
| APPLICATION | making pipes, cutting sheets, making small tools, making corrugated sheets, making container, making fences | | |
| SURFACE TREATMENT | Coated Galvanized | | |
| PROCESSING | Provide Steel Process Service | | |















| | {{ {{{}}}}}} | | |
|-------------------|---|--|--|
| PRODUCT NAME | Galvanized Sheet | | |
| WIDTH(MM) | 600-1500mm or customized | | |
| THICKNESS | 0.1-6.0mm | | |
| LENGTH | 1000-12000mm or customized | | |
| SPANGLE TYPE | Regular Spangle/Small Spangle/Big Spangle | | |
| STANDARD | ASTM,GB,AISI,JIS,DIN,EN,BS | | |
| ZINC COATING | 20-275g/m² | | |
| APPLICATION | making pipes, cutting sheets, making small tools, making corrugated sheets, making container, making fences | | |
| SURFACE TREATMENT | Coated Galvanized | | |
| CERTIFICATE | CE、 SGS | | |

Web: www.hxhsteels.com/ / 10 ||||||||||||||

GALVANIZED PIPE













| | GALVANIZED PIPE | |
|--------------------|---|--|
| PRODUCT NAME | Galvanized Steel Pipe | |
| SECTION SHAPE | Round or square or rectangle | |
| SURFACE TREATMENT | Galvanized | |
| TECHNIQUE | SEAMLESS/ERW/SSAW | |
| DIAMETER | DN15-DN200 | |
| MATERIALS | Q195,Q215,Q235,Q345 20#,Q345,20Cr,40Cr, 20CrMo,30-35CrMo,42CrMo | |
| STANDARDS | BS1387-1985,GB/T3091-2001.EN39.BS1139 | |
| THICKNESS | 1.0- 100 mm | |
| LENGTH | 5.8m,6.0m,12m or by customer's requirements | |
| PROCESSING SERVICE | Punching, Cutting | |

PPGI / PPGL













| | {{{ | | |
|---------------------------|---|--|--|
| THICKNESS RANGE | 0.10mm to 2.0mm | | |
| THICKNESS TYPE | Total Coating Thickness (TCT), Base Metal Thickness (BMT) | | |
| WIDTH | 700mm to 1250mm or customer requirement,REGULAR WIDTH: 914mm, 1000mm, 1219mm, 1220mm, 1250mm OR BY CUSTOMER'S REQUIREMNTS | | |
| THICKNESS | Z20 to Z275/AZ20 to AZ275 | | |
| | Common Coating PPGI/PPGL | | |
| COATING SURFACE CONDITION | Print Coating PPGI/PPGL | | |
| | Embossed PPGI/PPGL | | |
| CLASSED BY USAGE | Outdoor Construction、Indoor Construction、House hold appliance、Other | | |
| CERTIFICATION | ISO, SGS, BV, TUV,etc. | | |
| SAMPLES | Free if available | | |

CORRUGATED SHEET













| | { {{{\text{ CORRUGATED SHEET }}}} |
|-------------------------|--|
| STANDARD | AISI, ASTM, BS, DIN, GB, JIS, JIS G3302,JIS G3312,GB/T-12754 |
| MATERIAL | DX51D,DX52D,S350GD,S550GD |
| THICKNESS | 0.1-3mm |
| WIDTH | 600-1500 mm,Normal width is 914/1000/1219/1250/1500 mm |
| TYPE OF COATING PROCESS | Front:double coated&double drying;Back:double coated&double drying; single coated&double drying |
| ZINC COATING | 20-275g/m² |
| COLOR | Standard color:red,blue,white,grey,Special color:according to RAL color Or as customer's requires |
| PACKING | Tied up with steel strips and wrapped with water proof paper |















| | { { { { { { { { { { | |
|--------------------|--|--|
| STANDARD | ASTM / AISI / JIS / EN / DIN | |
| GRADE | Q195-Q420 series | |
| TYPE | Equal / Unequal | |
| SIZE | 20-200mm | |
| THICKNESS | 3-25mm | |
| LENGTH | 6/9/12m or other length based on demand | |
| DELIVERY TIME | Within 7 days | |
| APPLICATION | Engineering Structure,construction | |
| PROCESSING SERVICE | Bending, Welding, Decoiling, Punching, Cutting | |
| MOQ | 5 Tons | |
| SURFACE | Painted, Galvanized | |

CHANNEL STEEL













| | {{{ } | |
|-----------------------|-------------------------------------|--|
| STANDARD | AISI ASTM BS DIN JIS EN | |
| MATERIAL | Q235/Q235B/Q345/Q345B/SS400 | |
| SHAPE | CU Channel | |
| APPLICATION | Construction steel channel | |
| MODEL NUMBER | 5#-40# | |
| HEIGHT | 80-160mm | |
| THICKNESS | 1.5mm-25mm | |
| STRENGTH OF EXTENSION | A36/420MPa S355JR/485MPa | |
| TOLERANCE | ±1% | |
| PROCESSING SERVICE | Bending, Welding, Punching, Cutting | |

H-BEAM / I-BEAM













| | 【【 【【 H-BEAM/I-BEAM | |
|---------------|--|--|
| TECHNIQUE | Hot Rolled | |
| MATERIAL | Q195, Q215,Q235,Q345,ST37, A36,45# ,16Mn | |
| HEIGHT | 200-1200mm | |
| THICKNESS | 5mm-60mm | |
| LENGTH | 6m-12m | |
| SURFACE | Bare,Black,Oiled,Shot Blasted, Paint, Galvanized,or as your request | |
| STANDARD | AISI ASTM JIS DIN EN BS GB | |
| DELIVERY TIME | 15-20 working days | |
| SURFACE | Painted,galvanized or as required | |
| APPLICATION | Manufacturing cars and tractors,hoop iron, tools and mechanical parts, as building frame structure, escalator. | |

FLATBAR














| | **** FLAT BAR |
|-----------|---|
| NAME | A36 Mild Steel Flat Bar HR MS Flat Bar Carbon Steel Structural Flat Bar |
| GRADE | A36,S235,S235JR,S275,S275JR,S355,S355JR, A53 |
| THICKNESS | 1.5-60mm |
| WIDTH | 10-600mm |
| LENGTH | 5.8m ,6m or to meet customer's demand |
| TOLERANCE | ±1% |
| USED AREA | Structure, Construction |
| STANDARDS | ASTM A36, EN10025, EN 10163 |
| SURFACE | Painted or galvanized |
| PACKAGING | Standard exporting packing or as client's requirement |















| | {{ {{{ | ALUMINIUM PLATE | >>>> | |
|---------------|--|------------------------|--------|--|
| GRADE | 1000-6000 Series | | | |
| TOLERANCE | | ±0.5% | | |
| TEMPER | | O-H112,T3-T8,T351-T851 | | |
| THICKNESS | | 0.12mm-26 | 0mm | |
| WIDTH | | 20-2000mm | | |
| SURFACE | Coated, Embossed, Brushed, Polished, Anodized, etc | | | |
| ALLOY OR NOT | Is Alloy | | | |
| PROCESSING | Bending, Decoiling, Welding, Punching, Cutting | | | |
| CERTIFICATION | ISO9001/CE | | | |
| PACKAGE | Strong Sea Worthy Wooden Package | | | |
| TYPE | | Sheet/Plate, | /Panel | |

ALUMINUM PIPE













| | << << | ALUMINUM PIPE | >>> > | |
|--------------|--|---------------|-----------------|--|
| NAME | | Alumin | um Pipe | |
| GRADE | | 1000-60 | 00 series | |
| DIAMETRE | | 10mm-320mm | | |
| THICKNESS | | 0.3-20mm | | |
| SHAPE | Round | | | |
| SURFACE | Mill Finished/Powder Coated/Anodized/Polishing | | | |
| LENGTH | 1000-6000mm | | | |
| HARDNESS | >95HB | | | |
| ALLOY OR NOT | Is Alloy | | | |
| TEMPER | | Т3 | - T8 | |















| | *** | ALUMINUM ROD | >>>> | |
|--------------|--|--------------|------|--|
| GRADE | 1000-6000 series | | | |
| TOLERANCE | | ±0.5% | | |
| APPLICATION | | Construction | | |
| TECHNIQUE | | Cold Dra | wn | |
| HARDNESS | Full Hard | | | |
| ALLOY OR NOT | Is Alloy | | | |
| TYPE | Round Shape | | | |
| PROCESSING | Bending, Decoiling, Welding, Punching, Cutting | | | |
| LENGTH | 1000-6000mm | | | |
| DIAMETER | 10-600mm | | | |
| SHAPE | Round | | | |

ALUMINUM COIL













| | << << | ALUMINUM COIL | >>>> | |
|--------------------|----------------------|------------------------|---------------------------|--|
| TOLERANCE | ±0.5% | | 0.5% | |
| GRADE | | 1000-60 | 000 series | |
| DELIVERY TIME | | 15-20 days | | |
| APPLICATION | | Construction,Packing | | |
| WIDTH | 600mm-2600mm | | | |
| ALLOY OR NOT | Is Alloy | | | |
| PROCESSING SERVICE | | Bending, Decoiling, We | elding, Punching, Cutting | |
| THICKNESS | | 0.1- | 10mm | |
| STANDARD | ASTM AISI JIS DIN GB | | | |
| COLOR | | Customer's | Requirement | |
















| | {{ {{{}}}}} | STAINLESS STEEL R | D | >>>> |
|---------------|--|---------------------|---------|-------------------|
| | | 200 serie | s: 201, | , 202 |
| MATERIAL | 300 series: 303, 304, 304L,304H,321, 310S, 316, 316L | | | |
| | 400 series: 405,410, 420, 430 | | | |
| PRODUCT NAME | | Stainless Steel Rod | | |
| STANDARD | AISI, ASTM, DIN, GB, JIS, SUS | | | |
| LENGTH | 1 meters to 6 meters or customized | | | |
| DIAMETER | 2mm-300mm | | | |
| TREATMENT | Hot rolled, Cold drawn, Annealed, Grinding | | | |
| DELIVERY TIME | Usually 15-20 days upon receipt of deposit for 1 FCL | | | |
| PACKAGE | | Standard sea-worthy | packa | ge or as required |

STAINLESS STEEL COIL















| | {{{ STAINLESS STEEL COIL } }} |
|-------------|--|
| PRODUCT | Stainless Steel Coil |
| GRADE | 201,202,304,304L,309, 309S,310S,316,316L,316Ti,317L,321,347H,409,409L,410, 410S, 420(420J1, 420J2), 430, 436, 439, 441, 444, 446 |
| BRAND | TISCO, BAOSTEEL, POSCO, JISCO, LISCO etc. |
| THICKNESS | 0.3mm-6mm(cold rolled),3mm-100mm(hot rolled) |
| WIDTH | 1000mm,1219mm(4feet),1250mm,1500mm,1524mm(5feet),1800mm,2000mm or as your requirements. |
| APPLICATION | Interior/Exterior decoration; Architectur; Evevator; Kitchen; Ceiling; Cabinet; Advertising nameplate; Roof structure |
| SURFACE | Common: 2B, 2D, HL(Hairline), BA(Bright annealed), No.4.Colored: Gold mirror, Sapphire mirror, Rose mirror, black mirror, bronze |

STAINLESS STEEL PLATE













| | {{ {{}}}} | |
|---------------|---|--|
| PRODUCT NAME | Stainless Steel Plate | |
| GRADE | 200/300/400 series | |
| STANDARD | GB/ASTM /JIS/ AISI / DIN/ EN | |
| LENGTH | 1000-6000mm | |
| THICKNESS | 0.15-100mm | |
| WIDTH | 600-2500mm | |
| PROCESSING | Bending, Welding, Decoiling, Punching, Cutting | |
| SURFACE | BA/2B/NO.1/NO.3/NO.4/8K/HL/2D/1D/ Embossed | |
| CERTIFICATION | ISO 9001/CE | |
| STEEL GRADE | 301L, 301, 304N, 310S, S32305, 316Ti, 316L, 316, 321, S32304, 314, 347, 430, 304 204C2, 409L, 436, 304L, 405, 301LN, 317L | |

STAINLESS STEEL PIPE













| | { {{{{}}}}} | | |
|-------------------|---|--|--|
| PRODUCT NAME | Stainless Steel Pipe | | |
| MATERIAL | 301, 304, 304L, 304N, XM21, 304LN, 305, 309S, 310S, 316, 316Ti, 316L 316N, 316LN, 317, 317L, 321, 347 etc. | | |
| SURFACE TREATMENT | Polishing, Annealing, Pickling, Bright | | |
| STEEL GRADE | 200 series,300 series,400 series | | |
| | OD:6mm-508mm | | |
| SIZE | Thickness:0.25-3mm | | |
| | Length: as required | | |
| TECHNIQUE | Hot rolled and Cold rolled | | |
| APPLICATION | Widely used in petroleum, foodstuff, chemical industry, construction, electric power, energy,machinery, biotechnology, shipbuilding, boiler fields. | | |

SHANGHAI HXH STEELS



WARMLY WELCOME FRIENDS FROM ALL OVER THE WORLD TO VISIT AND DISCUSS COOPERATION.



DOMESTIC AND FOREIGN EXHIBITIONS

























































